

EASY LED *tube*

FRESHWATER
AQUARIUM

REPLACE LAMPS
T5
AND
T8

2 INDEPENDENT*
CHANNELS

*WITH EASY LED CONTROL 2 PLUS

6400K
COLOUR TEMPERATURE



120°

ADJUSTABLE
POSITION



WIDE BEAM ANGLE











tecatlantis
BY AQUATLANTIS



LED LIGHTING SYSTEM TECHNICAL FEATURES



DIMENSION	AQUARIUM MINIMUM LENGTH*	AQUARIUM MAXIMUM LENGTH*	POWER	COLOUR TEMPERATURE (KELVINS)	HEIGHT	LUX	LUMINOUS FLUX (lm)	T5 LAMPS REPLACEMENT	T8 LAMPS REPLACEMENT	PRODUCT CODE	BAR CODE
438mm	45cm	70cm	8W	6400K	40cm	1320	663	24W	15W	12057	
549mm	55cm	81cm	10W	6400K	40cm	1880	945	24W	-	12058	
590mm	60cm	85cm	12W	6400K	40cm	1985	998	28W	18W	12059	
742mm	75cm	100cm	16W	6400K	45cm	2050	1304	35W	25W	12060	
849mm	85cm	110cm	18W	6400K	45cm	2215	1409	39W	-	12061	
895mm	90cm	115cm	20W	6400K	50cm	2170	1704	45W	30W	12062	
1047mm	105cm	130cm	24W	6400K	50cm	2300	1806	54W	-	12063	

*Without EASY LED TUBE end caps

ALUMINIUM LIGHTING SYSTEM




ALUMINIUM

POLYCARBONATE


ALUMINIUM STRUCTURE HIGH RESISTANCE

- Aluminium housing with efficient heat dissipation performance
 - Long-lasting LED
 - Passive cooling technology (fan-free)

EASY LED TUBE LIGHTING SYSTEM




EASY LED TUBE




This Luminaire contains built-in LED lamps.

A++	} LED
A+	
A	
B	
C	
D	
E	

The lamps cannot be changed in the luminaire.

874/2012




EASY LED TUBE ADAPTORS



Product	Adaptor 1,5A	Adaptor 2A	Adaptor 2,5A
EASY LED TUBE	438mm, 549mm, 590mm	742mm, 849mm	1047mm
ORDER CODE	11645	07771	12124